11 Publication number:

0 242 553 A1

(12)

EUROPEAN PATENT APPLICATION

- 21 Application number: 87103308.0
- ② Date of filing: 07.03.87

- (9) Int. Cl.4: A61K 33/04 ,
 - //(A61K33/04,31:415)

- Priority: 14.03.86 IT 1974986
- Date of publication of application:28.10.87 Bulletin 87/44
- Designated Contracting States:
 AT BE CH DE ES FR GB GR IT LI LU NL SE
- Applicant: Campo, Giovanni Largo Corsia dei Servi, 11 I-20122 Milano(IT)
- Inventor: Campo, Giovanni Largo Corsia dei Servi, 11 I-20122 Milano(IT) Inventor: Di Schiena, Micheie G. Via Brunelleschi, 30/C Trezzano Sul Naviglio Milano(IT)
- Representative: Minoja, Fabrizio
 Studio Consulenza Brevettuale Via Rossini,
 8
 I-20122 Milano(IT)
- (A) Topical pharmaceutical compositions for use in odontostomatology.
- Thermaceutical compositions for topical use in odontostomatology containing allantoin and sulfur as active principles, show enhanced healing and regenerative effects.

TOPICAL PHARMACEUTICAL COMPOSITIONS FOR USE IN ODONTOSTOMATOLOGY

The invention refers to pharmaceutical compositions for topical use in odontostomatology, containing as the active principles allantoin and elemental sulfur. The elemental sulfur is known to exist in different forms (for instance: cyclohexasulfur, cycloheptasulfur, α , β or γ sulfur, cubic cyclooctasulfur, cyclodecasulfur, cyclodecasulfur, inscluble sulfur, colloidal sulfur, etc.); it should be understood that the invention comprises all said forms.

The pharmaceutical compositions object of the invention, for their peculiar properties, are particularly useful in the topical therapy of the odontostomatologic diseases such as gingivitis, stomatitis, inflammatory and ulcerative lesions of the oral cavity, parodontopathies, etc.

Both allantoin and sulfur are already used in therapy: allantoin is an effective stimulating agent of the cutaneous tissues regeneration and exhibits re-epithelizing and keratoplastic properties; sulfur exerts a stimulation effect in the tissular metabolic process, has trofic action on the capillary walls and exhibits a repairing and healing activity.

The combination of allantoin and sulfur in the pharmaceutical compositions of the invention surprisingly shows an higher therapeutic effect in comparison with that obtainable with the single components used separately; this may probably be due to a synergistic interction of the two substance.

Said surprising therapeutic characteristic gives to the pharmaceutical compositions of the invention advantageous therapeutic properties, which make them particularly useful in human and veterinary medicine for the treatment of gingival diseases and generally of the oral mucosa, whichever is the etiology causing them and whenever an effective healing, regenerative and lenitive therapy is desired.

In the compositions object of the present invention, the ratio of allantoin and sulfur concentrations is not critical and substantially depends on the considered pharmaceutical form. Generally, allantoin will be present in concentrations from 0.1 to 10%, while the sulfur concentration may be as high as 99.9%.

According to the desired pharmaceutical form, suitable excipients may be used provided that they are compatible; for the powder preparations, for instance, taic, lactose, clay, flavours, dyes, etc. may be used.

For the gel, paste or liquid preparations suitable suspending, aggregating, emulsionating, dispersing, flavouring, colouring agents etc., may be used. Both the different forms and the excipient substances are in any way already known in the considered prior art.

The pharmaceutical compositions of the invention may be added with complementar therapeutic substances such as vitamins (ascorbates, panthotenates, tocopherols, B complex, biotine, Vitamin A), antibiotics, chemotherapics, antiseptic agents, analgesics, antiphlogistic, antimycotic, antiviral, astringent, regulating agents of the oral pH, carriers of organic sulfur.

The following examples further illustrate the invention without limiting it in any way.

EXAMPLE_1

35. Allantoin 0.5

Ventilated sulfur 99.5

Preparation: the mixture is throughy mixed and is then sieved through a fine sieve.

ड्य

40

45

20

10 EXAMPLE_2 5 g Allantoin 15 50 Ventilated sulfur 100 Excipient: rice starch q.s. to EXAMPLE_3 20 . 5 Allantoin g 45 Ventilated sulfur Sodium chloride g 25 Excipients: Bolus Alba kaolin 30 100 Rice starch q.s. to 30 EXAMPLE_4 1.48 g Allantoin Ventilated sulfur 40 g 35 1.76 g Ascorbic acid (Vit. C) 100 Excipient: rice starch g. q.s. to 40 EXAMPLE_5 1.58 g Allantoin 40 g Ventilated sulfur 45

55

50

Panthotenate calcium

Excipient: rice starch q.s. to

5

4.76 g

100 g.

EXAMPLE_6

5	Allantoin		0.5	g
	Ventilated sulfur		20	g
	Sodium bicarbonate		5	g
10	Excipients:			
	Hydrated colloidal silie	a "	1.5	g
	Peppermint alcoholate		0.2	g
15	Rice starch	q.s. to	100	g.
		EXAMPLE_7		
20	Allantoin		5	g
-	Ventilated sulfur		45	g
	Lidocaine hydrochloride		1	g ·
25	Excipient: rice starch	q.s. to	100	g.
		EXAMPLE_8		
	Allantoin	•	0.5	g
30 ·	Ventilated sulfur		45	g
	Cetyltrimethylammonium	p-toluensulfonate	0.01	0 g
	Excipients:	•		
35	Lactose	•	30	g
	Rice starch	q.s. to	100	g.
m	·	EXAMPLE_9		
<i>4</i> 0	Allantoin		1.58	g
	Ventilated sulfur		30	g
45	Glycirretinic acid		4.70	g
	Excipient: rice starch	q.s. to	100	g -
		EXAMPLE_10		
50	Allantoin		1.58	g
	Ventilated sulfur		30	g
	Methionine		1.49	g
55	Excipient: rice starch	q.s. to	100	g.

EXAMPLE_11 1.58 g Allantoin 30 Ventilated sulfur 5.05 g Clorhexidine 10 100 g. Excipient: rice starch q.s. to EXAMPLE_12 0.5 g Allantoin 15 3 Ventilated sulfur 200.000 U. Nystatin 5 Excipient: rice starch q.s. to 20 EXAMPLE 13 0.5 g Allantoin 30 Ventilated sulfur Benzidamine hydrochloride 0.100 g 100 Excipient: rice starch q.s. to g. 30 EXAMPLE_14 5 g Allantoin 30 Ventilated sulfur 35 0.05 gDexamethasone 100 Excipient: rice starch q.s. to g. EXAMPLE_15 40 5 Allantoin Ventilated sulfur 30 1.5 Idoxuridine 0.6 Neomycin sulfate 100 Excipient: rice starch q.s. to g. EXAMPLE 16 50 5 Allantoin 30 Ventilated sulfur 0.1 Zinc citrate

	Excipient: rice starch	q.s. to	100	g.
5		EXAMPLE_17		
	Allantoin		5	g
10	Ventilated sulfur		30	g
	Aluminium dihydroxyallantoinate			g
	Excipient: rice starch	q.s. to	100	g.
		EXAMPLE_18		
15	Allantoin		0.5	g
	Ventilated sulfur	35	g	
	Excipients:			
20	Sodium carboxymethylcellulose			g
	Glycerin		13	g
25	Peppermint alcoholate		0.2	g
	Preserved water	q.s. to	100	g.

Preparation: the water is heated to 70° and the sodium carboxymethylcellulose is added in portions. The gel so obtained is added with glycerine, sulfur and allantoin in a blade-mixer. When the paste is at room temperature, the peppermint alcoholate is added.

35

EXAMPLE_19

	Allantoin	0.5	g
40	Ventilated sulfur	35	g
	Sodium chloride	3	g
45	Hexetine	1	g
45	Excipients:		
	Glycerin	24	g
50	Colloidal silica	1.5	g
	Sodium carboxymethylcellulose	1.5	g
	Methyl p-hydroxybenzoate	0.065	g

55

	Propyl p-hydroxybenzoa	ite	0.039	5 g
5	Vanilline		0.004	4 g
	Calcium and aluminium	lake	0.015	5 g
	Sterile water	q.s. to	100	g.
10		EXAMPLE 20		
	Allantoin		0.5	g
	Ventilated sulfur		10	g
15	Excipients:			
	Liquorice extract		1.5	g
	Peppermint essential o	oil .	0.2	g
20	Eucalyptus essential o	oil	0.2	g
	Sorbital		5	g
	Glycerin	•	10	g
25	Hydrated colloidal sil	ica	2.5	g
	Sodium carboxymethylce	llulose	0.5	g
30	Preserved water	q.s. to	100	g .

Claims

- 1. Oral pharmaceutical compositions for the treatment of gingival diseases or of the oral mucosa consisting of allantoin and sulfur in admixture with sulfable inert excipients.
 - 2. Compositions according to claim 1, wherein sulfur is present as α , β or γ sulfur, cyclohexasulfur, cyclohexasulfur, fibrous sulfur, insoluble sulfur or colloidal sulfur.
 - 3. Compositions according to claims 1 or 2 wherein allantoin is present in concentrations from 0.1 to 10% and sulfur up to 99.9%.
 - 4. Compositions according to any one of the preceeding claims in liquid forms or in gel, paste or powder form.
 - 5. Compositions according to any one of the previous claim containing other active principle having complementary therapeutic activity.

50

45

55



EUROPEAN SEARCH REPORT

EP 87 10 3308

Category		th indication, where appropriate, vant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. CI.4)
n O	NLISTED DRUGS, v November 1984, pa Chatham, New Jers 'Acnolisal" Page 210b, "Acn	ge 210b, ey, US;	1-5	A 61 K 33/04 / A 61 K 33/04 A 61 K 31:415)
þ	INLISTED DRUGS, v October 1976, pag Chatham, New Jers Page 1739, "Aps	e 173g, ey, US; "Apsor"	1-5	
Ā	JNLISTED DRUGS, v lugust 1972, page New Jersey, US; " Page 120a, "Act	120a, Chatham, Actinac"	1-5	
9	JNLISTED DRUGS, v October 1968, pag Chatham, New Jers 'Acne-sol" 'Page 147b, "Acn	e 147b, ey, US;	1-5	TECHNICAL FIELDS SEARCHED (Int. CI.4)
h d	JNLISTED DRUGS, v November 1967, pa Chatham, New Jers Page 149f, "Ell	ges 149f, ey, US; "Ellsu"	1-5	
		-/-		
	The present search report has b	een drawn up for all claims		
TH	Place of search IE HAGUE	Date of completion of the sea 26-06-1987	rch PEETE	Examiner RS J.C.
Y : pai	CATEGORY OF CITED DOCL rticularly relevant if taken alone rticularly relevant if combined w cument of the same category chnological background n-written disclosure	E : earlie after	y or principle unde ir patent document the filing date ment cited in the ap ment cited for othe	rlying the invention , but published on, or oplication r reasons



EUROPEAN SEARCH REPORT

EP 87 10 3308

DOCUMENTS CONSIDERED TO BE RELEVANT			Page 2		
Category		h indication, where appropris ant passages	ate,	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.4)
	ROTE LISTE, 1976, 31331B, Editio Ca Aulendorf, DE; "A * Page 337, "Aknereduct" *	ntor, knereduct"			•
	ROTE LISTE, 1971, 40,353,494, Editi Aulendorf, DE; "A Adenylchemie", "A "Dexakne Creme", "Fissan-Aknecreme * Page A Adenylchemie", "A 353 "Dexakne Cr "Fissan-Aknecreme	o Cantor, Akneforte Akne-Kaban", '' 'O "Aknefo Akne-Kaban"; p	orte oage	- 5	
					
			,		TECHNICAL FIELDS SEARCHED (Int. CI.4)
		u			
			}		
					00
		<u> </u>			
	The present search report has b				
£,	Place of search THE HAGUE	Date of completion of 26-06-198		PEETS	Examiner ERS J.C.
Y: pa	CATEGORY OF CITED DOCL articularly relevant if taken alone articularly relevant if combined w ocument of the same category chnological background	vith another 0:	earlier paten after the filin document ci document ci	t document, ig date ted in the ap ted for other	reasons
O: no	on-written disclosure Itermediate document	å ;	member of to document	ne same pati	ent family, corresponding